



Steel Core
Copper
High Density Polyethylene (HDPE)

The new standard in tracer wire. Designed for directional drilling applications!

Experience the benefits:

- **Copperhead has 6 times the breaking strength of solid copper**
- Eliminates costly re-bores
- Reduced material costs & multiple wire pull backs
- Tougher & more durable coating
- Lighter weight, resulting in reduced shipping costs
- Reduced threat of theft due to lack of after-market value

Introducing **Copperhead Reinforced Tracer Wire**, the stronger alternative to solid copper tracerwire. Copperhead Reinforced Directional Drilling Tracer Wire combines the strength of hi-carbon steel with the conductivity and corrosion resistance of copper through a metallurgical bonding process.

The result: a more cost-effective composite with superior performance characteristics over traditional solid copper wire, or expensive cables.





Eliminate expensive re-bores due to tracer wire breakage.

Make the switch to Copperhead.

Copperhead Reinforced Directional Drilling Tracer Wire significantly outperforms conventional copper wire and is designed strong enough to perform in the toughest directional drilling applications. Copperhead Reinforced Directional Drilling Tracer Wire represents a revolutionary breakthrough for the trenchless industry and offers substantial savings.....consider the comparisons below!

Copperhead	vs.			Solid Copper Wire
PERFORMANCE				
Tensile strength / break load of Copperhead Directional Drill Wire #12 AWG EHS = 1150#	6x strong	Strength	6x weak	Tensile strength / break load of #12 AWG solid copper = 180# #10 AWG solid copper = 285#
Copperhead Directional Drill Wire has 6 times the strength of soft drawn solid copper wire	One wire	Strength	Multiple wires	Multiple strands of copper wire are required in hopes of pulling one through intact
Virgin high-density polyethylene offers strength, flexibility and superior protection underground	Strong	Wire Coating	Weak	Vinyl and Nylon coatings are susceptible to moisture, causing premature failures
Copperhead's high-carbon steel inner core allows the wire to stretch more than 15% to accommodate ground movement	Stretches	Flexibility	Inflexible	Copper wires inability to stretch results in frequent breaks during installation and use
Copperhead weighs 11% less than solid copper	Lighter	Weight	Heavier	Heavier product results in more difficult lifting and handling
COST				
Six times the strength results in no breakage and the job being done right the first bore	Inexpensive	Strength	Expensive	Weaker properties result in more frequent breakage and expensive re-bores
Copperhead's higher breaking strength allows the use of a single wire for directional drill applications	One wire	Strength	Multiple wires	The need to use a heavier gauge wire or multiple wires will result in higher project costs
Copperhead is lighter which results in significantly lower freight charges	Lower freight cost	Shipping	Higher freight cost	Copper weighs more than Copperhead resulting in higher freight costs
Copperhead uses less copper resulting in more stable pricing	Stable	Consistent Pricing	Extremely Volatile	Unpredictable due to the volatile nature of a commodity market
Copperhead reinforced tracer wire has virtually no after-market value	None	Theft Threat	High	Solid copper tracer wire is regularly lost to theft due to it's high scrap value



Copperhead Industries, LLC.
 PO Box 1081, Monticello, MN 55362
 Ph: 877-726-5644 • Fx: 763-271-3694
www.copperheadwire.com